

EAST Search History**EAST Search History (Prior Art)**

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| S1 | 134 | (service near2 broker) same (address port) AND (@ad< "20040610" @pd< "20020610") | US_PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/07 08:20 |
| S2 | 18 | S1 and ((publish register) with name) | US_PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/07 08:21 |
| S4 | 1 | (map with port with number with service with name) AND (@ad< "20040610" @pd< "20020610") | US_PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/07 08:24 |
| S5 | 58 | (DNS with (port near2 number) same service) AND (@ad< "20040610") | US_PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/07 14:24 |
| S6 | 23 | (US-20030105864-\$ or US-20040019898-\$ or US-20050203949-\$ or US-20020095488-\$ or US-20010043595-\$ or US-20060168264-\$ or US-20040215707-\$ or US-20030097464-\$ or US-20030187978-\$ or US-20040066403-\$ or US-20040064452-\$ or US-20040054783-\$ or US-20010054101-\$ or US-20020009078-\$).did. or (US-5329619-\$ or US-6553384-\$ or US-5825890-\$ or US-6512754-\$ or US-7177947-\$ or US-6802068-\$ or US-7003555-\$ or US-6675208-\$ or US-7007080-\$).did. | US_PGPUB; USPAT | OR | ON | 2007/11/07 15:09 |
| S7 | 16 | S6 and (authenticate authentication) | US_PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/07 15:09 |

| | | | | | | |
|-----|-----|---|---|----|-----|---------------------|
| S8 | 134 | (service near2 broker) same (address port) AND (@ad< "20040610" @pd< "20020610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/07 15:24 |
| S9 | 18 | S8 and ((publish register) with name) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/07 15:24 |
| S10 | 1 | (map with port with number with service with name) AND (@ad< "20040610" @pd< "20020610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/07 15:24 |
| S11 | 58 | (DNS with (port near2 number) same service) AND (@ad< "20040610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/07 15:26 |
| S12 | 139 | (S8 S9 S10 S11) and (authenticat\$4 authoriz\$5) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/07 15:26 |
| S13 | 108 | (map\$4 with port with number with service) AND (@ad< "20040610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/07 16:21 |
| S14 | 2 | ((reverse reversed) with domain with nam\$3) AND S13 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/07 16:22 |
| S15 | 9 | (map\$4 with port with number with service with name) AND (@ad< "20040610" @pd< "20020610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/07 16:24 |
| S16 | 1 | ("5623605").PN. | US-PGPUB; USPAT | OR | OFF | 2007/11/08 09:35 |
| S17 | 0 | (portmap portmapper rpcbind) SAME ("by name" "service name") AND @ad< "20040610" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/08 09:42 |
| S18 | 182 | (portmap\$4 (port adj map\$4) rpcbind) SAME (name) AND @ad< "20040610" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/08 09:43 |

| | | | | | | |
|-----|-------|---|---|----|-----|---------------------|
| S19 | 6 | S18 and "service name" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/08 09:44 |
| S20 | 224 | symbian.AS. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/08 09:47 |
| S21 | 1717 | McDowell.INV. Pavier.INV. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/08 09:47 |
| S22 | 4 | (S20 S21) AND ("port number" "connection point") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/08 09:49 |
| S23 | 23254 | ((709/203) or (709/217) or (709/220) or (709/223) or (709/227)).CCLS. | US-PGPUB; USPAT | OR | OFF | 2007/11/08 10:59 |
| S24 | 15 | ("20060248176" "20070186212" "20040013130" "20040088385" "20040133692" "20040228310" "20060248202" "20050083912" "20030105812" "20070180448" "7237257" "6446108" "20040205048" "20040253956" "6915345"). pn. | US-PGPUB; USPAT | OR | ON | 2007/11/08 11:00 |
| S25 | 9 | getaddrinfo | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/08 12:20 |
| S28 | 1 | ("6266707").PN. | US-PGPUB; USPAT | OR | OFF | 2007/11/08 13:15 |
| S29 | 2 | "7194543".PN. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/13 14:45 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S30 | 31 | (US-20030105864-\$ or US-20040019898-\$ or US-20050203949-\$ or US-20020095488-\$ or US-20010043595-\$ or US-20060168264-\$ or US-20040215707-\$ or US-20030097464-\$ or US-20030187978-\$ or US-20040066403-\$ or US-20040064452-\$ or US-20040054783-\$ or US-20010054101-\$ or US-20020009078-\$ or US-20050223217-\$ or US-20040192364-\$ or US-20040030627-\$ or US-20030105812-\$).did. or (US-5329619-\$ or US-6553384-\$ or US-5825890-\$ or US-6512754-\$ or US-7177947-\$ or US-6802068-\$ or US-7003555-\$ or US-6675208-\$ or US-7007080-\$ or US-6438594-\$ or US-7032002-\$ or US-7237257-\$ or US-7194543-\$).did. | US-PGPUB; USPAT | OR | ON | 2008/04/24 16:17 |
| S31 | 3 | (service with broker) and (service with start\$3) and S30 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 16:17 |
| S32 | 646 | (service with broker) and (service with start\$3) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 16:25 |
| S33 | 102 | (service with broker) and (service with (automatic\$4 broker) with start\$3) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 16:26 |
| S34 | 56 | S33 and vendor | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 16:26 |
| S35 | 3 | S33 and name with port | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 16:27 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S36 | 3408 | service with port\$3 with (name advertis\$6) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 16:28 |
| S37 | 3 | S33 and S36 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 16:28 |
| S38 | 31 | S34 and port | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 16:28 |
| S39 | 108 | (service adj broker) and (service with start\$3) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 16:30 |
| S40 | 18 | (service adj broker) and (service with (automatic\$4 broker) with start\$3) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 16:30 |
| S41 | 102 | (S39 S40) and ((connect\$3 with point) port address) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 16:34 |
| S42 | 63 | (S39 S40) and ((connect\$3 with point) port) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 16:34 |
| S43 | 6 | S42 and S40 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 16:35 |
| S44 | 17 | (S39 S40) and (port adj number) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 16:38 |
| S45 | 4 | ("5987464" "6049819" "6141759" "6434546").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/24 16:42 |
| S46 | 18 | (S39 S40) and ((map\$4 look\$3 look\$up return\$3) with port) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 16:44 |

| | | | | | | |
|-----|-------|--|---|----|-----|---------------------|
| S47 | 6 | S46 NOT S44 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 16:44 |
| S48 | 0 | service same publish same bind same vendor | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 16:48 |
| S49 | 102 | service same publish same bind and (@ad<"20030610" @pd<"20030610" @rlad<"20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 16:50 |
| S50 | 718 | revers\$3 with domain with (name information) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 16:50 |
| S51 | 0 | S49 and S50 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 16:50 |
| S52 | 25145 | ((709/203) or (709/217) or (709/220) or (709/223) or (709/227)).CCLS. | US-PGPUB; USPAT | OR | OFF | 2008/04/24 18:11 |
| S53 | 17 | (portmap portmapper rpcbind) and S52 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 18:12 |
| S54 | 261 | symbian.AS. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 18:12 |
| S55 | 1801 | McDowell.INV. Pavier.INV. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 18:12 |
| S56 | 4 | (S54 S55) AND ("port number" "connection point") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/24 18:12 |
| S57 | 3 | reverse\$1 with name with vendor same service | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 11:32 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S58 | 8 | (name\$space (name adj space) (name near2 hierarchy)) with vendor same service and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 11:38 |
| S59 | 8 | (name\$space (name adj space) ((name naming) near2 hierarchy)) with vendor same service and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 11:43 |
| S60 | 2 | revers\$3 with nam\$3 with service with vendor | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 11:44 |
| S61 | 26 | revers\$3 with nam\$3 with (vendor author source provider) same service and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 11:45 |
| S62 | 4 | vendor adj name with service adj name and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 11:47 |
| S63 | 21 | vendor with service adj name and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 12:22 |
| S64 | 13 | prefix with (developer vendor author source provider) with domain same service and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:54 |
| S65 | 13 | pre\$fix\$3 with (developer vendor author source provider) with domain same service and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:54 |
| S66 | 2131 | service near nam\$3 with domain near nam\$3 and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:57 |

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S67 | 11 | ("org.example" "com.example") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:04 |
| S68 | 0 | ("org.example\$10" "com.example\$10") same service | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:05 |
| S69 | 0 | ("org.example\$10" "com.example\$10") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:05 |
| S70 | 18 | ("org.example"\$ "com.example\$") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:06 |
| S71 | 2 | (US-20030191803-\$ or US-20030204645-\$).did. | US-PGPUB | OR | ON | 2008/09/24 15:09 |
| S72 | 2 | S71 and (proxy broker) same service | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:10 |
| S73 | 1 | S71 and service.CLM. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:12 |
| S74 | 316 | ("org."\$ "com."\$) same service | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:19 |
| S75 | 182 | S74 and (@ad<"20030610" @pd<"20030610" @rlad<"20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:19 |
| S82 | 122 | ("org."\$ "com."\$) same service same name | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:39 |
| S83 | 81 | ("org."\$ "com."\$) same service with nam\$3 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:39 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S84 | 2 | ("org."\$ "com."\$) same service with broker | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:40 |
| S85 | 47 | ("org."\$ "com."\$) same service near2 nam\$3 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:42 |
| S86 | 31 | S85 and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:45 |
| S87 | 2 | (US-20030204645-\$).did. or (NNRD446180).tban. | US-PGPUB; IBM_TDB | OR | ON | 2008/09/24 15:49 |
| S88 | 0 | ((newest highest) with version) same service with broker and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:51 |
| S89 | 252 | ((newest default highest) with version) same service and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:51 |
| S90 | 0 | ((newest default highest) with version) same service with broker and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:52 |
| S91 | 9 | ((newest default largest recent highest) with version) same service with broker and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:52 |
| S92 | 74 | (select\$3 specif\$6) with (version adj number) with (highest default newest recent largest greatest) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:53 |
| S93 | 108 | (version adj number) with (default) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 16:11 |

| | | | | | | |
|------|------|--|---|----|----|------------------|
| S94 | 5 | service with (version adj number) with (default) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 16:12 |
| S95 | 0 | service with broker same (version adj number) with (default) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 16:12 |
| S96 | 1 | default adj version same broker and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 16:13 |
| S97 | 17 | default adj version same service and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 16:14 |
| S98 | 18 | S96 S97 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 16:14 |
| S99 | 2 | (US-20030105858-\$).did. or (US-6289392-\$).did. | US-PGPUB; USPAT | OR | ON | 2008/09/24 16:17 |
| S100 | 2 | (US-20030105858-\$).did. or (US-6289392-\$).did. | US-PGPUB; USPAT | OR | ON | 2008/09/25 08:27 |
| S101 | 2 | (US-20030204645-\$).did. or (NNRD446180).tban. | US-PGPUB; IBM_TDB | OR | ON | 2008/09/25 08:27 |
| S102 | 0 | service adj broker with publish \$3 with name and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 09:05 |
| S103 | 411 | service with publish\$3 with name and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 09:05 |
| S104 | 3109 | service with regist\$6 with name and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 09:06 |
| S105 | 595 | (S103 S104) and service with (broker proxy) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 09:06 |

| | | | | | | |
|------|-----|--|---|----|----|------------------|
| S106 | 217 | (S103 S104) and service with (broker proxy) same name | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 09:07 |
| S107 | 160 | S106 and (@ad<"20030610" @pd<"20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 09:07 |
| S108 | 7 | S106 and service adj broker | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 09:07 |
| S109 | 457 | S105 and service near2 name | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 09:10 |
| S110 | 171 | S109 and S106 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 09:10 |
| S111 | 127 | S110 and (@ad<"20030610" @pd<"20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 09:10 |
| S112 | 104 | S110 and service near2 (broker proxy) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 09:11 |
| S113 | 55 | S110 and service adj (broker proxy) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 09:11 |
| S114 | 211 | S105 and service adj name | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 09:11 |
| S115 | 143 | S105 and service adj name and service near2 (proxy broker) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 09:12 |

| | | | | | | |
|------|-------|---|---|----|-----|------------------|
| S116 | 56 | S105 and service adj name and service near2 (broker) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 09:12 |
| S117 | 48 | S116 and (@ad<"20030610" @pd<"20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 09:12 |
| S118 | 3 | S116 and automatic\$4 with start\$3 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 09:13 |
| S119 | 281 | symbian.AS. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 11:18 |
| S120 | 1851 | McDowell.INV. Pavier.INV. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 11:18 |
| S121 | 4 | (S119 S120) AND ("port number" "connection point") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 11:18 |
| S122 | 26832 | ((709/203) or (709/217) or (709/220) or (709/223) or (709/227)).CCLS. | US-PGPUB; USPAT | OR | OFF | 2008/09/25 11:19 |
| S123 | 17 | (portmap portmapper rpcbind) and S122 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 11:19 |
| S124 | 90 | S122 and multiple with version with service | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 11:19 |
| S125 | 5 | S124 and (default highest newest recent) with version and (@ad<"20030610" @pd<"20030610" @rlad<"20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 11:20 |
| S126 | 3 | multiple with version with service same (default highest newest recent) with version and (@ad<"20030610" @pd<"20030610" @rlad<"20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 11:21 |

| | | | | | | |
|------|-----|--|---|----|----|------------------|
| S127 | 34 | (multiple several different) with version with service same (default highest newest recent) with version and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 11:22 |
| S128 | 276 | service with broker with (authoriz\$5 authentic\$5) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 11:28 |
| S129 | 0 | S127 and S128 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 11:29 |
| S130 | 44 | S128 and service adj broker | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 11:29 |
| S131 | 7 | S128 and service adj broker and service adj name | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/25 11:30 |
| S132 | 43 | (US-20030105864-\$ or US-20040019898-\$ or US-20050203949-\$ or US-20020095488-\$ or US-20010043595-\$ or US-20060168264-\$ or US-20040215707-\$ or US-20030097464-\$ or US-20030187978-\$ or US-20040066403-\$ or US-20040064452-\$ or US-20040054783-\$ or US-20010054101-\$ or US-20020009078-\$ or US-20050223217-\$ or US-20040192364-\$ or US-20040030627-\$ or US-20030105812-\$ or US-20030005034-\$ or US-20010051929-\$ or US-20030191803-\$ or US-20030204645-\$ or US-20030105858-\$ or US-20050021594-\$ or US-20040054690-\$).did. or (US-5329619-\$ or US-6553384-\$ or US-5825890-\$ or US-6512754-\$ or US-7177947-\$ or US-6802068-\$ or US- | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2009/04/27 15:22 |

| | | | | | | |
|------|------|---|---|----|----|------------------|
| | | 7003555-\$ or US-6675208-\$ or US-7007080-\$ or US-6438594-\$ or US-7032002-\$ or US-7237257-\$ or US-7194543-\$ or US-7343428-\$ or US-6289392-\$ or US-7130891-\$ or US-6842903-\$). did. or (NNRD446180).tban. | | | | |
| S133 | 1 | S132 and "socket server" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/27 15:22 |
| S134 | 72 | "socket server" with service | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/27 15:22 |
| S135 | 49 | "socket server" with service and (@ad<"20030610" @pd<"20030610" @rlad<"20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/27 15:23 |
| S136 | 8 | "socket server" with service same (TCP IP) and (@ad<"20030610" @pd<"20030610" @rlad<"20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/27 15:23 |
| S137 | 311 | symbian.AS. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/27 15:23 |
| S138 | 1926 | McDowell.INV. Pavier.INV. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/27 15:23 |
| S139 | 5 | (S137 S138) AND ("port number" "connection point") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/27 15:23 |
| S140 | 4 | S135 and ((709/203) or (709/217) or (709/220) or (709/223) or (709/227)). OCLS. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/27 15:24 |
| S141 | 11 | S136 S140 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/04/27 15:24 |

| | | | | | | |
|------|------|---|---|----|----|---------------------|
| S142 | 332 | symbian.AS. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 12:19 |
| S143 | 1978 | McDowell.INV. Pavier.INV. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 12:19 |
| S144 | 6 | (S142 S143) AND ("port number" "connection point") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 12:19 |
| S145 | 49 | "socket server" with service and (@ad<"20030610" @pd<"20030610" @rlad<"20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 12:19 |
| S146 | 8 | "socket server" with service same (TCP IP) and (@ad<"20030610" @pd<"20030610" @rlad<"20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 12:19 |
| S147 | 4 | S145 and ((709/203) or (709/217) or (709/220) or (709/223) or (709/227)). OCLS. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 12:19 |
| S148 | 11 | S146 S147 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 12:19 |
| S149 | 25 | (service near2 broker\$3) with (name named) and (service near2 broker\$3) with (provision\$3 start\$4 launch\$3 execut\$3) and (@ad<"20030610" @pd<"20030610" @rlad<"20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 13:34 |
| S150 | 28 | (service near2 broker\$3) same listen\$3 and (@ad<"20030610" @pd<"20030610" @rlad<"20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 13:54 |
| S151 | 324 | (service near2 broker\$3).AB. and (@ad<"20030610" @pd<"20030610" @rlad<"20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 13:54 |

| | | | | | | |
|------|------|--|---|----|----|------------------|
| S152 | 44 | (S150 S151) and service near2 (name named) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 13:54 |
| S153 | 42 | (service near1 broker\$3).AB. and (on\$demand demand hand\$off (hand\$3 adj off)) with service and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 14:08 |
| S154 | 1916 | (ORB Corba RPC) same (launch\$3 execut\$3 run\$4 provision\$3 start\$4) near2 (server service program) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 14:09 |
| S155 | 454 | (ORB Corba RPC remote\$2).AB. and (ORB Corba RPC) same (launch\$3 execut\$3 run\$4 provision\$3 start\$4) near2 (server service program) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 14:10 |
| S156 | 4 | (S153 S155) and service with (published adj name) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 14:11 |
| S157 | 95 | S154 and (broker listener).AB. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 14:14 |
| S158 | 51 | (S153 S157) and "709".CLAS. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 14:14 |
| S159 | 22 | S158 and service near2 (name named) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 14:15 |
| S160 | 461 | (ORB Corba RPC broker).AB. and (ORB Corba RPC broker) same (launch\$3 execut\$3 run\$4 provision\$3 start\$4) near2 (server service program) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 14:19 |

| | | | | | | |
|------|-----|--|---|----|-----|------------------|
| S161 | 69 | (ORB Corba RPC broker).AB. and (ORB Corba RPC broker) same (start\$4) near2 (server service program) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 14:20 |
| S162 | 74 | (ORB Corba RPC broker).AB. and (ORB Corba RPC broker) same (launch\$3 start\$4) near2 (server service program) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 14:20 |
| S163 | 35 | (ORB Corba RPC broker).AB. and (ORB Corba RPC broker) same (launch\$3 start\$4) near2 (server service program) and address with client and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 14:21 |
| S164 | 42 | (ORB Corba RPC broker listener).AB. and (ORB Corba RPC broker listener) same (launch\$3 start\$4) near2 (server service program) and address with client and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 14:21 |
| S165 | 46 | (ORB Corba RPC broker listener).AB. and (ORB Corba RPC broker listener) same (launch\$3 start\$4) near2 (server service program process) and address with client and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 14:41 |
| S166 | 4 | (US-20010051929-\$).did. or (US-5329619-\$ or US-6598067-\$ or US-7260618-\$).did. | US-PGPUB; USPAT | OR | OFF | 2009/12/30 17:42 |
| S167 | 121 | (ORB Corba RPC broker listener).AB. and (ORB Corba RPC broker listener) same (port socket handle (connection adj point)) near5 client and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 20:52 |

| | | | | | | |
|------|----|---|---|----|-----|------------------|
| S168 | 20 | (ORB Corba RPC broker listener).AB. and (ORB Corba RPC broker listener) same (provid\$3 return\$3 send\$3 pass\$3) near5 (port socket handle (connection adj point)) near5 client and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 20:53 |
| S169 | 12 | "709".CLAS. and (bind\$3 RPC).AB. and service with regist\$7 with name and client near5 (address port port point socket handle) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 21:00 |
| S170 | 66 | "709".CLAS. and ((broker bind \$3 RPC regist\$7) and (service process)).AB. and (service process) with regist\$7 with name and client near5 (address port port point socket handle) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 21:01 |
| S171 | 46 | "709".CLAS. and ((broker bind \$3 RPC regist\$7) and (service process)).AB. and (service process) near5 regist\$7 near5 name and client near5 (address port port point socket handle) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 21:01 |
| S172 | 47 | "709".CLAS. and ((broker bind \$3 RPC regist\$7 listener) and (service process)).AB. and (service process) near5 regist \$7 near5 name and client near5 (address port port point socket handle) and (@ad< "20030610" @pd< "20030610" @rlad< "20030610") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/12/30 21:02 |
| S173 | 8 | (US-20010051929-\$ or US-20030208563-\$ or US-20030172127-\$).did. or (US-5329619-\$ or US-6598067-\$ or US-7260618-\$ or US-5862331-\$).did. or (JP-09160856-\$).did. | US-PGPUB; USPAT; JPO | OR | OFF | 2010/01/04 13:04 |

| | | | | | | |
|------|------|--|---|----|-----|------------------|
| S174 | 4 | S173 and (broker\$3 listen\$3) with (address port socket handle pointer) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/04 13:06 |
| S175 | 333 | symbian.AS. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 16:44 |
| S176 | 1980 | McDowell.INV. Pavier.INV. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 16:44 |
| S177 | 6 | (S175 S176) AND ("port number" "connection point") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/04 16:44 |

1/4/2010 4:47:46 PM

**C:\ Documents and Settings\ ihussain\ My Documents\ EAST\ Workspaces
\10559782_symbian_servicediscovery.wsp**